


# Wall Mount Rack

12U W600×D450×H635



# P.N:BX.6045.12.WM

---



- Removable side walls
- Floor and roof plate with prepared ventilation openings
- 4x 19-inch profile with height indication
- Doors to open both on the right side and on the left side
- Cable entry at the top and bottom
- Front door, rear door and side walls equipped with locks
- Unassembled delivery

P.N:BX.6045.12.WM

## SPECIFICATIONS

### Standard Configuration


S/N	Name	Qty	Unit	Material	Finishing
1	Top cover	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
2	Bottom Cover	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
3	Frame	2	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
4	Back panel	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
5	Glass front door	1	PC	5mm toughened glass	Electrostatic spray
6	Side panel	2	PC	1.0mm SPCC cold rolled steel	Electrostatic spray
7	Mounting profile	4	PC	1.5mm SPCC cold rolled steel	SGLC
8	T-type Allen wrench	1	PC	-----	-----
9	M6 screw & nut	20	Sets	-----	-----

10	Color	BLACK RAL9004
11	USE	Inside,IP20
12	Loading capacity	80kgs
13	WIDTH	600
14	DEPTH	450
15	Height	635

P.N:BX.6045.12.WM

## DETAILED DRAWING

### wall mounting cabinet assembly step schematic



Assembling the Top&Bottom  
and frame with M5.5 10  
self-tapping screw

Fixed the mounting profile  
on the mounting angle with  
four M5.5 10 self-tapping  
screw, and measure the distance  
between 2pcs transverse  
mounting profile in 19"

Fixed the back panel on  
the frame with M5.5 10  
self-tapping screw


Insert the feet on the  
bottom of side panel  
into the small square  
hole on the bottom frame.  
make the quick opening  
handle into the hole on the pole.

Put the door seat in the  
bottom frame, then install  
the front door on the cabinet.

- |  |       |
|--|-------|
| 1. Top cover                                   | 1PCS  |
| 2. M5.5 10 inner 6-angle<br>self-tapping screw | 30pcs |
| 3. Frame                                       | 2PCS  |
| 4. Bottom                                      | 1PCS  |

- |                      |      |
|----------------------|------|
| 5. Mounting profile  | 4PCS |
| 6. Back panel        | 1PCS |
| 7. Side door (panel) | 2PCS |
| 8. Front door        | 1PCS |

### Detailed Drawing of Fixed shelf



P.N:BX.6045.12.WM

Carton Information



Item No	BX.6045.12.WM
Product Description	Bexline 12U RACK cabinet, wall mounted, 600x450
Network Cabinet	600*450*12U
Qty	1PC
N.W	24KGS
G.W	26KGS
Meas	61.5*69*24.5

Including



**PDU**  
8 ; metal; 2m cable; with a switch; Germany plug and socket 8



**2 Fans**



**Hand lock**



**Fixed shelf**



**package of:  
(nuts, screws)**



**2 Key**



P.N:BX.6045.12.WM

---

## The Rack In Reality

