


Standing Cabinet

18U W600×D1000×H988



P.N:BX.60100.18.VD



- Removable side walls
- Floor and roof plate with prepared ventilation openings
- 4x 19-inch profile with height indication
- Doors to open both on the right side and on the left side
- Cable entry at the top and bottom
- Front door, rear door and side walls equipped with locks
- Assembled delivery

P.N:BX.60100.18.VD

SPECIFICATIONS

Standard Configuration

S/N	Name	Qty	Unit	Material	Finishing
1	Vented front door	1	PC	1.2mm SPCC cold rolled steel	Finishing
2	Top cover	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
3	Bottom Cover	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
4	Frame	2	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
5	Back panel	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
6	Glass front door	1	PC	5mm toughened glass	Electrostatic spray
7	Side panel	2	PC	1.0mm SPCC cold rolled steel	Electrostatic spray
8	Mounting profile	4	PC	1.5mm SPCC cold rolled steel	SGLC
9	T-type Allen wrench	1	PC	-----	-----
10	M6 screw & nut	20	Sets	-----	-----


11	Color	BLACK RAL9004
12	USE	Inside,IP20
13	Loading capacity	800kgs
14	WIDTH	600
15	DEPTH	1000
16	height	988

P.N:BX.60100.18.VD


DETAILED DRAWING



800W Cabinets Installation & disassembly Instruction



Detailed Drawing of Fixed shelf



P.N:BX.60100.18.VD

Carton Information



Item No	BX.60100.18.VD
Product Description	Bexline 18U RACK cabinet, Floor standing Rack ,600x600
Network Cabinet	600*1000*18U
Qty	1PC
N.W	30KGS
G.W	31KGS
Meas	66*95.5*20

Including



PDU
8 ways; metal; 2m cable; with a switch; Germany plug and socket 8



2Fans



4 Casters(2 with breakers)



Hand lock



Fixed shelf



package of: (nuts, screws)



4 supporting legs



2 Key

P.N:BX.60100.18.VD

The Rack In Reality

