


Standing Cabinet

27U W600×D600×H1388



P.N:BX.6060.27.GD



- Removable side walls
- Floor and roof plate with prepared ventilation openings
- 4x 19-inch profile with height indication
- Doors to open both on the right side and on the left side
- Cable entry at the top and bottom
- Front door, rear door and side walls equipped with locks
- Assembled delivery

P.N:BX.6060.27.GD

SPECIFICATIONS

Standard Configuration					
S/N	Name	Qty	Unit	Material	Finishing
1	Glass front door	1	PC	5mm toughened glass	Finishing
2	Mesh rear door	1	PC	1.2mm SPCC cold rolled steel	----
3	Top cover	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
4	Bottom Panel	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
5	Frame	2	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
6	Side panel	2	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
7	Mounting profile	4	PC	2.0mm SPCC cold rolled steel	Electrostatic spray
8	Mounting Angle	6	PC	1.5mm SPCC cold rolled steel	SGLC
9	2" Heavy duty casters	4	PC	----	SGLC
10	M12 adjustable feet	4	PC	----	----
11	T-type Allen wrench	1	PC	----	----
12	M6 screw & nut	40	Sets	----	----
13	Spacer blocker(only for 800mm width standing rack)	12	PC	1.5mm SPCC cold rolled steel	SGLC


14	Color	BLACK RAL9004
15	USE	Inside,IP20
16	Loading capacity	1000kgs
17	WIDTH	600
18	DEPTH	600
19	height	1388

P.N:BX.6060.27.GD


DETAILED DRAWING



600W Cabinets Installation & disassembly Instruction



Detailed Drawing of Fixed shelf



P.N:BX.6060.27.GD

Carton Information

Carton No. 1

Carton No. 2

Carton No. 3

Item No. XXXX Network Cabinet XXXX Part name: Front, Rear&Side doors (1/3) Qty: 1 PC N. W. XX KGS G. W. XX KGS Meas. :XXX CM	
--	--

Item No. XXXX Network Cabinet XXXX Part name:Top And Bottom Cover(2/3) Qty: 1 PC N. W. XX KGS G. W. XX KGS Meas. :XXX CM	
--	--

Item No. XXXX Network Cabinet XXXX Part name: Frame (3/3) Qty: 1 PC N. W. XX KGS G. W. XX KGS Meas. :XXX CM	
---	--

Item No	BX.6060.27.GD
Network Cabinet	600*600*27U
Part name:	Front, Rear&Side doors (1/3)
Qty	1PC
N.W	26KGS
G.W	27KGS
Meas	125*64*11.5

Item No	BX.6060.27.GD
Network Cabinet	600*600*27U
Part name:	Top And Bottom Cover(2/3)
Qty	1PC
N.W	25KGS
G.W	26KGS
Meas	65*67*12.5

Item No	BX.6060.27.GD
Network Cabinet	600*600*27U
Part name:	Frame (3/3)
Qty	1PC
N.W	17.5KGS
G.W	19KGS
Meas	133*62*25.5

Including



PDU
8 ways; metal; 2m cable; with a switch; Germany plug and socket 8



2Fans



4 Casters(2 with breakers)



Hand lock



Fixed shelf



package of: (nuts, screws)



4 supporting legs



2 Key

P.N:BX.6060.27.GD

The Rack In Reality

