


Standing Cabinet

32U W600×D600×H1610



P.N:BX.6060.32.GD



- Removable side walls
- Floor and roof plate with prepared ventilation openings
- 4x 19-inch profile with height indication
- Doors to open both on the right side and on the left side
- Cable entry at the top and bottom
- Front door, rear door and side walls equipped with locks
- Assembled delivery

P.N:BX.6060.32.GD

SPECIFICATIONS

Standard Configuration					
S/N	Name	Qty	Unit	Material	Finishing
1	Glass front door	1	PC	5mm toughened glass	Finishing
2	Mesh rear door	1	PC	1.2mm SPCC cold rolled steel	----
3	Top cover	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
4	Bottom Panel	1	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
5	Frame	2	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
6	Side panel	2	PC	1.2mm SPCC cold rolled steel	Electrostatic spray
7	Mounting profile	4	PC	2.0mm SPCC cold rolled steel	Electrostatic spray
8	Mounting Angle	6	PC	1.5mm SPCC cold rolled steel	SGLC
9	2" Heavy duty casters	4	PC	----	SGLC
10	M12 adjustable feet	4	PC	----	----
11	T-type Allen wrench	1	PC	----	----
12	M6 screw & nut	20	Sets	----	----
13	Spacer blocker(only for 800mm width standing rack)	8	PC	1.5mm SPCC cold rolled steel	SGLC


14	Color	BLACK RAL9004
15	USE	Inside,IP20
16	Loading capacity	1000kgs
17	WIDTH	600
18	DEPTH	600
19	Height	1610

P.N:BX.6060.32.GD


DETAILED DRAWING



600W Cabinets Installation & disassembly Instruction



Detailed Drawing of Fixed shelf




P.N:BX.6060.32.GD

Carton Information

Carton No. 1

Carton No. 2

Carton No. 3



Item No	BX.6060.32.GD
Network Cabinet	600*800*22U
Part name:	Front, Rear&Side Panal(1/3)
Qty	1PC
N.W	20KGS
G.W	22KGS
Meas	147*64*11.5

Item No	BX.6060.32.GD
Network Cabinet	600*600*32U
Part name:	Top&bottom Cover (2/3)
Qty	1PC
N.W	15KGS
G.W	15.5KGS
Meas	65*67*12.5

Item No	BX.6060.32.GD
Network Cabinet	600*600*32U
Part name:	Frame (3/3)
Qty	1PC
N.W	20KGS
G.W	21KGS
Meas	155*62*25.5

Including



PDU
8 ways; metal; 2m cable; with a switch; Germany plug and socket 8



2Fans



4 Casters(2 with breakers)



Hand lock



Fixed shelf



package of: (nuts, screws)



4 supporting legs



2 Key

P.N:BX.6060.32.GD

The Rack In Reality

